Slash® Brushless EHD (Model 58434-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5116	**Ball bearings, blue rubber sealed (5x11x4mm) (2)**
5114	**Ball bearings, blue rubber shield (5x8x2.5mm) (2)**
2545	Bushings (plastic) (5x8x2.5mm) (4)
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
6934	**Body conversion kit, Slash 2WD/Slash 4X4 (includes front & rear latch mounts, latches, hardware) (for clipless mounting)**
6990	**Body reinforcement set (fits #6958 body)**
6958	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4) (clear, requires painting)/ window masks/ decal sheet (requires #6953 latches and #6952 latch mounts for clipless mounting)**
5924-GRN	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5851-PINK	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), pink & purple (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6958X	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (requires #6953 latches and #6952 latch mounts for clipless mounting)**
5924-RED	**Body, Slash® 2WD (also fits Slash® VXL & Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5855	**Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
5924	**Body, Slash® 2WD, ProGraphix® (also fits Slash® VXL & Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
6948-GRN	**Body, Slash® 4X4 (also fits Slash® 2WD & Slash® VXL), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6948-ORNG	**Body, Slash® 4X4 (also fits Slash® 2WD & Slash® VXL), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6948-RED	**Body, Slash® 4X4 (also fits Slash® 2WD & Slash® VXL), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6965	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)**
6941-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-BLUE	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6844-GRN	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), green and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5850-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6844-ORNG	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), orange and blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6910-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6941-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6946-RED	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5848-RNR	**Body, Slash® 4X4 (also fits Slash® VXL & Slash® 2WD), Rock n' Roll (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6932-GRN	**Body, Slash® 4X4, green (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
6965R	**Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheet (requires #6967 latches and #6966 latch mounts for clipless mounting)**
6958R	**Body, Slash® 4X4, heavy duty (also fits Slash® VXL & Slash® 2WD) (clear, requires painting)/ window masks/ decal sheets (requires #6953 latches and #6952 latch mounts for clipless mounting)**
5855X	**Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet**
6933	**Body, Slash® 4X4, ProGraphix® (also fits Slash® VXL & Slash® 2WD) (graphics are printed, requires paint & final color application)/ decal sheet**
6932L	**Body, Slash® 4X4, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet**
6932-RED	**Body, Slash® 4X4, red (painted, decals applied) (assembled with front & rear body mount latches for clipless mounting)**
6849-FOX	**Body, Slash® VXL 2WD (also fits Slash® 4X4), Fox® Edition (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6812-GRN	**Body, Slash® VXL 2WD (also fits Slash® 4X4), green & blue (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
6812-RED	**Body, Slash® VXL 2WD (also fits Slash® 4X4), red (painted, decals applied) (assembled with front & rear latches for clipless mounting)**
5915	**Body, Slash® VXL 2WD, ProGraphix® (also fits Slash® 4X4) (graphics are printed, requires paint & final color application)/ decal sheet**
2514	**Decal sheet, racing sponsors**
5813	**Decal Sheet, Slash**
6981	Decal sheets, Slash®
6952	Latch mounts/ retainers (front & rear, left & right) (fits #6958 body)
6953	Latch, body mount, front & rear (for clipless body mounting) (attaches to #6958 body)
9950	**Official Team Traxxas® racing decal set(flag logo/ 6-color)**
5846	**Paint masks, body**
6994	**Side skirts (left & right)/ retainers (left & right)/ 3x8mm BCS (6) (fits #6958 body)**
6992	**Skid pads, roof (left & right)/ retainers (left & right)/ 3x10mm CS (6) (fits #6958 body)**
6993	**Skid pads, tailgate (left & right)/ retainers (left (2), right (2))/ 3x10mm CS (6) (fits #6958 body)**

Chassis & Attachments

3698	Access plug, rubber (receiver box)
9463X	**Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 BCS (with threadlock) (2)**

9463	**Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463G	**Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463A	**Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463P	**Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
9463R	**Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 BCS (with threadlock) (2)**
10430-SLGRY	Battery hold-down (slate gray)/ battery clip/ hold-down post/ screw pin (fits #5832-BLK, 5832-BLUE, 5832-DGRY or 5832-STGRY chassis)
8327-BLUE	**Battery hold-down, 6061-T6 aluminum (blue-anodized)**
8327-GRAY	**Battery hold-down, 6061-T6 aluminum (gray-anodized)**
8327-GRN	**Battery hold-down, 6061-T6 aluminum (green-anodized)**
8327-ORNG	**Battery hold-down, 6061-T6 aluminum (orange-anodized)**
8327-RED	**Battery hold-down, 6061-T6 aluminum (red-anodized)**
10430	**Battery hold-down/ battery clip/ hold-down post/ screw pin, slate gray (fits #5832-BLK, 5832-BLUE, 5832-DGRY or 5832-STGRY chassis)**
6940	Body mounts (front & rear) (for clipless body mounting)
3628	Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2)
6951	Bumper, front/ bumper mount, front (black)
5836	Bumper, rear/ bumper mount, rear (black)
5836P	**Bumper, rear/ bumper mount, rear (pink)**
5832-BLK	**Chassis, low CG (black) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)**
5832-BLUE	**Chassis, low CG (blue) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)**
5832-DGRY	**Chassis, low CG (gray) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)**
5832-STGRY	Chassis, low CG (steel gray) (requires #5831-BLK, 5831-BLUE, 5831-DGRY or 5831-STGRY lower chassis)
5831-BLK	**Lower chassis, low CG (black) (requires #5832-BLK, 5832-BLUE, 5832-DGRY, or 5832-STGRY chassis)**
5831-BLUE	**Lower chassis, low CG (blue) (requires #5832-BLK, 5832-BLUE, 5832-DGRY, or 5832-STGRY chassis)**
5831-DGRY	**Lower chassis, low CG (gray) (requires #5832-BLK, 5832-BLUE, 5832-DGRY, or 5832-STGRY chassis)**
5831-STGRY	Lower chassis, low CG (steel gray) (requires #5832-BLK, 5832-BLUE, 5832-DGRY or 5832-STGRY chassis)
5833	**Nerf bars, low CG (black)**
5833A	**Nerf bars, low CG (blue)**
5833G	**Nerf bars, low CG (grey)**
5833-SLGRY	Nerf bars, low CG (slate gray)
3629	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
3638-BLK	**Shock tower (rear) (for clipless body mounting)**
3638X-BLK	**Shock tower, rear (black) (fits Bandit® series)**
3638X-SLGRY	Shock tower, rear (slate gray) (for clipless body mounting)
3677-BLUE	**Wheelie bar mount (1)/ hardware (blue) (fits Stampede®, Rustler®, Bandit® series)**
3677-BLK	**Wheelie bar mount (1)/ hardware (fits Stampede®, Rustler®, Bandit® series)**
3677-GRN	**Wheelie bar mount (1)/ hardware (green) (fits Stampede®, Rustler®, Bandit® series)**
3677-PINK	**Wheelie bar mount (1)/ hardware (pink) (fits Stampede®, Rustler®, Bandit® series)**
3678-BLK	**Wheelie bar, assembled (black, adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678-BLUE	**Wheelie bar, assembled (blue, adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678-GRN	**Wheelie bar, assembled (green, adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678-ORNG	**Wheelie bar, assembled (orange, adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series)**
3678-PINK	**Wheelie bar, assembled (pink, adjustable) (fits Slash, Stampede®, Rustler®, Bandit® series)**
3678-RED	**Wheelie bar, assembled (red, adjustable) (fits Slash®, Stampede®, Rustler®, Bandit® series)**

Differential Components

2380R	**Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
2382R	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388R	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
5169	Screws, 2.6x8mm countersunk machine (6) (EZ Start 2 motor)

Driveline Components

3637	Axles (front) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5116	**Ball bearings, blue rubber sealed (5x11x4mm) (2)**
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9059X	**Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)**
9057X	**Differential output shafts, steel-splined constant-velocity (2)**
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852R	**Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9052X	**Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
9055X	**Half shaft, external splined (steel-spline constant velocity) (1)**
6750	**Half shaft, external splined (steel-spline constant velocity) (1)**
6751	**Half shaft, internal splined (steel-spline constant velocity) (1)**
9056X	**Half shaft, internal splined (steel-spline constant velocity) (1)**
9058X	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)**
6757	**Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
2754	Stub axle pins (4)
9053X	**Stub axle, rear, steel-splined constant velocity (1)**
6753	**Stub axle, rear, steel-splined constant velocity (1)**

Extreme HD Upgrade Kit

9193	Camber links, rear (molded composite) (73mm center to center) (2) (assembled with hollow balls) (for use with #9181 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-ORNG	**Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136-BLUE	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY	**Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

9136-GRN	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-BLUE	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-DGRY	**Caster blocks (c-hubs), extreme heavy duty, charcoal gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-GRN	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-ORNG	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-RED	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9181	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Slash® 2WD)
9181-BLUE	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Slash® 2WD)**
9181-GRAY	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray (fits Slash® 2WD)**
9181-GRN	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green (fits Slash® 2WD)**
9181-ORNG	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange (fits Slash® 2WD)**
9181-RED	**Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red (fits Slash® 2WD)**
3638-BLK	**Shock tower (rear) (for clipless body mounting)**
3638X-BLK	**Shock tower, rear (black) (fits Bandit® series)**
3638X-SLGRY	Shock tower, rear (slate gray) (for clipless body mounting)
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE	**Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY	**Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRN	**Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-ORNG	**Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED	**Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**

Front Suspension & Steering

3637	Axles (front) (2)
5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5116	**Ball bearings, blue rubber sealed (5x11x4mm) (2)**
2530-BLK	Bulkhead (front) (black)
2530-GRAY	**Bulkhead (front) (gray)**
2545	Bushings (plastic) (5x8x2.5mm) (4)
9136	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)
9136X	**Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-BLUE	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRAY	**Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-GRN	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-ORNG	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136-RED	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-BLUE	**Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-DGRY	**Caster blocks (c-hubs), extreme heavy duty, charcoal gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-GRN	**Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-ORNG	**Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
9136X-RED	**Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180 and 9181 upgrade kit)**
6845A	**Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G	**Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T	**Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R	**Drag link, machined 6061-T6 aluminum (red-anodized)**
5347	Rod ends, Revo® (large) with hollow balls (12)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
3639-SLGRY	Shock tower, front (slate gray)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
9137	Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9137-BLUE	**Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRAY	**Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-GRN	**Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9137-RED	**Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3631X	**Suspension arms, black, front, heavy duty (2)**
3631A	**Suspension arms, blue, front, heavy duty (2)**
3631G	**Suspension arms, green, front, heavy duty (2)**
3631T	**Suspension arms, orange, front, heavy duty (2)**
3631R	**Suspension arms, red, front, heavy duty (2)**
3631-SLGRY	Suspension arms, slate gray, front, heavy duty (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2640	Suspension pins, 44mm (2) w/ E-clips
2532X-BLUE	**Tie bar, 6061-T6 aluminum (blue-anodized)**
2532X-GRAY	**Tie bar, 6061-T6 aluminum (gray-anodized)**
2532X-ORNG	**Tie bar, 6061-T6 aluminum (orange-anodized)**
2532X-RED	**Tie bar, 6061-T6 aluminum (red-anodized)**
2532-GRAY	Tie bar, steel
1935	**Turnbuckles, 36mm (2)**
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644-GRAY	Turnbuckles, camber link, 39mm (steel) (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745-GRAY	Turnbuckles, toe link, 59mm (steel) (78mm center to center) (assembled with rod ends and hollow balls) (2)

Hardware

1926	**Antenna caps, vinyl (2)/ antenna spool**
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
4859	CS 3x10 flathead (hex drive)
1589	Double-sided adhesive tape (25mm x 25mm)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

1633	E-clips/ C-rings
2745	Nuts, 3mm nylon locking (12)
1747P	**Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747	Nuts, 4mm nylon locking (10)
1747R	**Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G	**Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T	**Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A	**Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
2742X	Rod ends, short (6)/ hollow balls (6)
3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2552	Screws, 3x12mm countersunk machine (6) (hex drive)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
3646	Screws, 3x15mm flat-head machine (hex drive) (6)
2583	Screws, 3x18 button-head machine (hex drive) (6)
2580	Screws, 3x20mm button-head machine (hex drive) (6)
2591	Screws, 3x23mm button-head machine (hex drive) (6)
2582	Screws, 3x30mm button-head machine (hex drive) (6)
2592	Screws, 3x40mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
2542	Screws, 4x12mm countersunk machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
3742	Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
3642X	**Shoulder screws, Ultra Shocks (3x12 hex drive) (6)**
2754	Stub axle pins (4)
2746	**Washers, 3x6mm metal (12)**

LED Lights

3690	**LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires front bumper #5835X for 2WD Slash®, #3635 for 2WD Stampede®, #3630 for 2WD Bigfoot® No. 1, #6835X for 4WD Slash®, or #6735 for 4WD Stampede®)**
5893	**LED light harness, rear (requires #5838, 6737X, or 6836 rear bumper)**
5894	**LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD Slash®)**
2263	**Y-harness, BEC to LED light set**

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
3467-BLUE	**Cooling fan, electronic speed control, Velineon® VX3™ (blue)**
3467-GRAY	Cooling fan, electronic speed control, Velineon® VX3™ (gray)
3790	Gear adapter, fixed
2072A	**Gear set (for 2070, 2075 servos)**
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
2287	**Gear set, metal (for 2280 servo)**
2072R	**Gear set, metal, high-speed (for 2070, 2075 servos)**
3442	Motor, V3200™, brushless
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271	**Servo case/ gaskets (for 2270 waterproof servo)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2280	**Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2057	Servo, metal gear, waterproof
3441	Velineon® VX3™ Brushless Power System, waterproof (includes VX3™ ESC & V3200™ motor)
3446	Velineon® VX3™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3350R	**Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725))**

Radio System, Batteries & Chargers

2827X	**3000mah 7.4v 2-Cell LiPo Battery**
2849X	**4000mah 11.1v 3-Cell 25C LiPo Battery**
2872X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2832X	**5000mah 11.1v 3-Cell 25C LiPo Battery**
2842X	**5000mah 7.4v 2-Cell 25C LiPo Battery**
2844R	**5200mAh 7.4v 2-cell 35C LiPo Battery**
2843X	**5800mah 7.4v 2-Cell 25C LiPo Battery**
2869X	**7600mah 7.4v 2-Cell 25C LiPo Battery**
2938X	**Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)**
2943	**Battery charge indicators, green (4), grey (4), blue (4)**
2914	**Battery, Power Cell AA Alkaline (4)**
2992	**Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1))**
2970-2SR	**Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1))**
2991	**Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2))**
2985-2S	**Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1))**
2260	**BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)**
2972	**Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification**
2973	**Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification**
2970	**Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification**
2981	**Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification**
2985	**Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification**
2982	**Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®)**
6525	**Communication link, telemetry expander**
2971	**EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®**
2072A	**Gear set (for 2070, 2075 servos)**
2059	Gear set, metal (for 2057 servos)
2252	**Gear set, metal (for 2250, 2255 servos)**
2272	**Gear set, metal (for 2270 waterproof servo)**
2072R	**Gear set, metal, high-speed (for 2070, 2075 servos)**
2968X	**LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)**
2968	**LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)**
6535	**Mount, temperature sensor (electric motors)/ wire tie/ thermal pad**
2912	**Power adapter, AC, USB-C (45W) (110 volt, North America only)**
2916	**Power cable, USB-C, 100W (high output), 5 ft. (1.5m)**
6533X	**Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)**
6568-3CH	Receiver, micro, TQi Sport, 2.4GHz with TSM® (3-channel)
6552	**Seal kit, expander box (includes o-ring, seals, and silicone grease)**
6520	**Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1)**
6521	**Sensor, temperature and voltage (long)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

2254	**Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)**
2253	**Servo case, aluminum (middle) (red-anodized) (for 2255 servo)**
2251	**Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
2271	**Servo case/ gaskets (for 2270 waterproof servo)**
2074	**Servo case/gaskets (for 2056 and 2075 waterproof servos)**
2075R	**Servo, digital high-speed, metal gear (ball bearing), waterproof**
2075	**Servo, digital high-torque (ball bearing), waterproof**
2250	**Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
2255	**Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
2270	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2075X	**Servo, digital high-torque, metal gear (ball bearing), waterproof**
2057	Servo, metal gear, waterproof
6553X	**Telemetry Expander 2.0 and GPS module 2.0, TQi radio system**
6550X	**Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)**
6551X	**Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)**
6538	**Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)**
6540	**Telemetry trigger magnet, 5X2mm (1)**
6576	**TQi Sport 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)**
6579-2CH	TQi Sport Compact 2.4 GHz High Output radio system, 2-channel, TSM® (2-channel transmitter, 3-channel micro receiver)
6505-2CH	Transmitter, TQi Sport Compact 2.4GHz, 2-channel (transmitter only)
6506-2CH	**Transmitter, TQi Sport, 2.4GHz high output, 2-channel (transmitter only)**
6528X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)**
6529X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)**
6530X	**Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)**
6511	**Traxxas® Link Bluetooth® module**
6537	**Wire retainers, gear cover/ 3x4mm BCS (2)**

Ready-To-Race Model

58434-4	Slash® Brushless EHD: 1/10-Scale 2WD Short Course Racing Truck with TQi™ Sport 2.4GHz Radio System & Traxxas Stability Management (TSM)

Rear Suspension

5116A	Ball bearings, black rubber sealed (5x11x4mm) (2)
5116	**Ball bearings, blue rubber sealed (5x11x4mm) (2)**
9193	Camber links, rear (molded composite) (73mm center to center) (2) (assembled with hollow balls) (for use with #9181 upgrade kit)
9150	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)
9150-BLUE	**Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRAY	**Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-GRN	**Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
9150-RED	**Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit)**
3638-BLK	**Shock tower (rear) (for clipless body mounting)**
3638X-SLGRY	Shock tower, rear (slate gray) (for clipless body mounting)
2555X	**Suspension arms, black, rear, heavy duty (2)**
2555A	**Suspension arms, blue, rear, heavy duty (2)**
2555G	**Suspension arms, green, rear, heavy duty (2)**
2555T	**Suspension arms, orange, rear, heavy duty (2)**
2555R	**Suspension arms, red, rear, heavy duty (2)**
2555-SLGRY	Suspension arms, slate gray, rear, heavy duty (2)
9142	Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
3644-GRAY	Turnbuckles, camber link, 39mm (steel) (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	**Oil, shock (30 wt, 350 cSt, 60cc) (silicone)**
5033	**Oil, shock (40 wt, 500 cSt, 60cc) (silicone)**
5034	**Oil, shock (50 wt, 600 cSt, 60cc) (silicone)**
5035	**Oil, shock (60 wt, 700 cSt, 60cc) (silicone)**
5036	**Oil, shock (70 wt, 900 cSt, 60cc) (silicone)**
5037	**Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)**
5029	**Shock oil bottle (60cc) (for mixing shock oil)**
5038X	**Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)**
5038	**Spinning carousel rack**

Shocks (GTR)

7466-PINK	**Body, GTR long (pink-anodized, PTFE-coated aluminum) (1)**
7466	**Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7466G	**Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)**
7469-STGRY	Body, GTR long shock, steel gray (2)
7467	**Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)**
7467A	**Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)**
7467R	**Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)**
7467-STGRY	Body, GTR xx-long shock, steel gray (2)
7468X	**Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468	**Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))**
7468-SLGRY	Caps and spring retainers, GTR shock (upper cap (2)/ hollow balls (2)/ bottom cap (2)/ upper & lower retainers (slate gray) (2 each))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks)
7464	Shaft, GTR long (steel, chrome finish) (2)
7464T	**Shaft, GTR long, TiN-coated (2)**
7465	Shaft, GTR xx-long (steel, chrome finish) (2)
7465T	**Shaft, GTR xx-long, TiN-coated (2)**
7461	**Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461G	**Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-ORNG	**Shocks, GTR long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-PINK	**Shocks, GTR long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461-RED	**Shocks, GTR long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7461X	**Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**
7462-STGRY	Shocks, GTR xx-long (steel gray) (assembled, without springs) (2)
7462	**Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462G	**Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-ORNG	**Shocks, GTR xx-long orange-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-PINK	**Shocks, GTR xx-long pink-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462-RED	**Shocks, GTR xx-long red-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)**
7462X	**Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

8459 **Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)**
8459-SLGRY Spring retainers, lower, slate gray (captured) (4)/ 2.5x10 CS (4)
7440 **Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)**
7441 **Spring, shock, white (GTR long) (0.653 rate green) (1 pair)**
7444 **Spring, shock, white (GTR long) (0.767 rate black) (1 pair)**
7445 **Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)**
7448 **Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)**
7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
7443 **Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)**
7446 **Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)**
7447 **Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)**
7449 **Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)**
7474 Springs, shock (white) (GTR short) (0.58 rate) (1 pair)
7475 **Springs, shock (white) (GTR short) (0.70 rate) (1 pair)**
7476 **Springs, shock (white) (GTR short) (0.87 rate) (1 pair)**

Shocks (Pro-level Aluminum)

5862 **Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)**
2660 **Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)**
2662 **Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)**
2669 **Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)**
1942 **Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)**
2742X **Rod ends, short (6)/ hollow balls (6)**
2667 **Shock caps, aluminum (2) (Big Bore Shocks)**
2362 **Shock rebuild kit (for 2 shocks)**
1664T **Shock shafts, hardened steel, titanium nitride coated (long) (2)**
2656T **Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)**
1664 **Shock shafts, steel, chrome finish (long) (2)**
2656 **Shock shafts, steel, chrome finish (xx-long) (2)**
1765 **Silicone diaphragms (4)**
2668 **Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)**
5860 **Springs, front (white) (progressive rate) (2) (for Slash big bore shocks)**
5859 **Springs, rear (white) (progressive rate) (2) (for Slash big bore shocks)**

Slipper Clutch Components

3793 Input shaft (slipper shaft) / spring pin
5552A Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
2554 Screws, 3x6mm caphead machine (hex drive) (6)
5556 Slipper pressure plate & hub (aluminum alloy)

Spur Gears & Pinion Gears

3790 Gear adapter, fixed
5640 **Gear, 14-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw**
5643 **Gear, 17-T pinion (0.8 metric pitch, compatible with 32-pitch) (fits 5mm shaft)/ set screw**
5644 Gear, 18-T pinion (0.8 metric pitch, compatible with 32-pitch) (hardened steel) (fits 5mm shaft)/ set screw
9454 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
9456 **Spur gear, 56-tooth (0.8 metric pitch, compatible with 32-pitch)**

Steering Components

2728 **Ball bearings (5x8x2.5mm) (2)**
2545 Bushings (plastic) (5x8x2.5mm) (4)
6845A **Drag link, machined 6061-T6 aluminum (blue-anodized)**
6845G **Drag link, machined 6061-T6 aluminum (green-anodized)**
6845T **Drag link, machined 6061-T6 aluminum (orange-anodized)**
6845R **Drag link, machined 6061-T6 aluminum (red-anodized)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2742 Rod ends, long (6)/ hollow ball connectors (6)
5347 Rod ends, Revo® (large) with hollow balls (12)
3742 Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2)
6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
1935 **Turnbuckles, 36mm (2)**
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)
2746 **Washers, 3x6mm metal (12)**

Suspension Linkage

5525 Rod ends (12)/ hollow balls (12)
5347 Rod ends, Revo® (large) with hollow balls (12)
3739 Screw pin set (Rustler®/ Bandit®/ Stampede®)
5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
9142 Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit)
2640 Suspension pins, 44mm (2) w/ E-clips
3139A **Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G **Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T **Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P **Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X **Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3745 Turnbuckles, toe link, 59mm (78mm center to center) (2) (assembled with rod ends and hollow balls)

Team Traxxas Items

9916 **Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)**
2514 **Decal sheet, racing sponsors**
9917 **Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)**
9950 **Official Team Traxxas® racing decal set(flag logo/ 6-color)**
9909 **Traxxas® racing banner, red & black (3x7 feet)**

Tires & Wheels

5116A Ball bearings, black rubber sealed (5x11x4mm) (2)
5116 **Ball bearings, blue rubber sealed (5x11x4mm) (2)**
5854 **Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)**
1747P **Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)**
3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R **Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
1747G **Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
1747T **Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)**
1747A **Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)**
1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
2754 Stub axle pins (4)
5882R **Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)**
6874R **Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock wheel, Kumho tire, insert) (2) (4WD front/rear, 2WD rear only)**

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

5877R Tire & wheel assy, glued (S1 compound) (SCT Split-Spoke, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD front)

6873R Tire & wheel assy, glued (S1 compound) (SCT SS, chrome red beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)

6873X Tire & wheel assy, glued (S1 compound) (SCT SS, satin chrome black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)

5879-BLK Tire & wheel assy, glued (SCT black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)

5878-BLK Tire & wheel assy, glued (SCT black beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5869 Tire & wheel assy, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)

5881X Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front only)

5880X Tire & wheel assy, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5881 Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)

5880 Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5875X Tire & wheel assy, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (2WD front)

5878 Tire & wheel assy, glued (SCT satin chrome, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, insert) (2)(4WD front/rear, 2WD rear only)

5885-BLK Tire & wheel assy, glued (SCT Split-Spoke black wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)

5883-BLK Tire & wheel assy, glued (SCT Split-Spoke black wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)

6873A Tire & wheel assy, glued (SCT Split-Spoke chrome, red beadlock style wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)

5882 Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (2WD front)

6874 Tire & wheel assy, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5885A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)

5883A Tire & wheel assy, glued (SCT Split-Spoke, black, blue beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)

5885 Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)

5883 Tire & wheel assy, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, inserts) (2) (4WD f/r, 2WD rear)

5877A Tire & wheel assy, glued (SCT Split-Spoke, chrome red beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, inserts) (2) (2WD Front)

5877 Tire & wheel assy, glued (SCT Split-Spoke, satin, black beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD Front)

5864 Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (2WD Front)

5863 Tire & wheel assy, glued (SCT, black, orange beadlock wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)

5865 Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (2WD front only)

6876 Tire & wheel assy, glued (SCT, chrome, green beadlock wheel, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD front/rear, 2WD rear only)

5873X Tire & wheel assy, glued (SCTsatin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5869A Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (2WD front)

5867A Tires & wheels, assembled, glued (SCT chrome, blue beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

5891 Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheels, paddle tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)

6964 Tires & wheels, assembled, glued (SCT Split-Spoke gray beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)

6873 Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM® rated)

5875 Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Front)

5873 Tires & wheels, assembled, glued (SCT, satin chrome wheels, beadlock type (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear) (TSM® rated)

5873A Tires & wheels, assembled, glued (SCT, satin chrome wheels, red beadlock, (dual profile 2.2" outer 3.0" inner), SCT off-road tires, foam inserts) (2) (Rear)

5873R Tires & wheels, assembled, glued (SCT, satin chrome, red beadlock wheels, ultra soft S1 compound off-road racing tires, foam inserts) (2) (2WD Rear, 4WD F/R)

6871 Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

6871R Tires, BFGoodrich® Mud-Terrain™ T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

6870 Tires, Kumho (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

6870R Tires, Kumho, ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)

5871R Tires, Ultra soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)

1654X Wheel hubs, hex (blue-anodized, lightweight aluminum) (2)/ axle pins(2)

3654 Wheel hubs, hex (front) (tall offset) (2)/ axle pins (2.5x10mm) (2)

1654 Wheel hubs, hex (rear) (2)/ stub axle pins (2)

1654R Wheel hubs, hex (steel) (2)/ axle pins (2)

5853X Wheel hubs, splined, 17mm, short (2), long (2) (blue-anodized) / wheel nuts, splined, 17mm (blue-anodized) (4)/ hub retainer M4 X 0.7 (4)/ axle pin (4) (Slash 2WD)

5353 Wheel nuts, splined, 17mm (blue-anodized) (4)

5480X Wheel wrench, splined, 17mm

5868A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)

5870A Wheels, SCT chrome, blue beadlock style, dual profile (2.2" outer, 3.0" inner) (2) (2WD front only)

5868 Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)

5874 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Front)

5872 Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer 3.0" inner) (2) (Rear)

5872X Wheels, SCT satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2) (4WD front/rear, 2WD rear only)

5874A Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer 3.0" inner) (Front) (2)

5884A Wheels, SCT Split-Spoke, black, blue beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)

5886 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)

5884 Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)

6872X Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear) (2)

5876 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)

6872 Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer 3.0" inner) (4WD front/rear, 2WD rear only) (2)

5870X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (2WD front) (2)

5868X Wheels, SCT, black, orange beadlock style, dual profile (2.2" outer 3.0" inner) (4WD f/r, 2WD rear) (2)

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.

Transmission Components

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
3792	Cover, gear/ rubber gear cover plug/ 3x6 RM (2)
3790	Gear adapter, fixed
3691-BLK	**Gearbox halves (left & right) (black) w/ idler gear shaft**
3691-GRAY	**Gearbox halves (left & right) (gray) w/ idler gear shaft**
3691-SLGRY	Gearbox halves (left & right) (slate gray) w/ idler gear shaft
9492	**Idler gear, 30-tooth/ idler gear shaft (steel)**
3696	Idler gear, steel (30-tooth)
9494	**Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD)**
3793	Input shaft (slipper shaft) / spring pin
2381X	Main diff with steel ring gear/ side cover plate/ screws (Bandit®, Stampede®, Rustler®)
1552	**Motor screws (3x8mm hex cap) (6)/washers (6)/ wrench**
2382	Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel
2388R	Planetary gear differential with steel ring gear (complete) (fits Bandit®, Stampede®, Rustler®)
5269	Rebuild kit, slipper clutch (steel disc/ friction pad/ spring/ 4.0mm NL (1))
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
5351	Slipper pressure plate and hub (alloy)
3195	Top drive gear, steel (22-tooth)
3695X	**Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**
3695X-SLGRY	**Transmission, slate gray, complete (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®)**

Traxxas Tools

3433X	**Body reamer (aluminum handle)**
3433	**Body reamer (plastic handle)**
3436	**Cap, body reamer**
3425	**Rubber pit mat, 16x24x0.28**
3426	**Rubber pit mat, 36x20**
3432	**Scissors, curved tip**
3431	**Scissors, straight tip**
8712	**Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive**
8720	**Speed bit handle, large (overmolded)**
8721	**Speed bit handle, medium (one piece)**
8722	**Speed bit handle, premium (rubber overmold)**
8710	**Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8711	**Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8719	**Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive**
8716	**Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive**
8716X	**Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive**
8715	**Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive**
8715X	**Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive**
8714	**Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive**
2748R	**Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)**
3415	**Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)**

Turnbuckles & Threaded Rods

5525	Rod ends (12)/ hollow balls (12)
5347	Rod ends, Revo® (large) with hollow balls (12)
3737A	**Turnbuckle, aluminum (blue-anodized), camber link, front, 39mm (1)(assembled w/rod ends)/hollow balls (2)(See part 3741A for complete camber link set)**
3737	**Turnbuckle, aluminum (red-anodized), camber link, front, 39mm (1) (assembled w/rod ends)/hollow balls (2)(See part 3741X for complete camber link set)**
3139A	**Turnbuckles, aluminum (blue-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139G	**Turnbuckles, aluminum (green-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139T	**Turnbuckles, aluminum (orange-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139P	**Turnbuckles, aluminum (pink-anodized), toe links, 59mm (2) (assembled w/ rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3139X	**Turnbuckles, aluminum (red-anodized), toe links, 59mm (2) (assembled with rod ends & hollow balls) (requires 5mm aluminum wrench #5477)**
3644-GRAY	Turnbuckles, camber link, 39mm (steel) (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
3745-GRAY	Turnbuckles, toe link, 59mm (steel) (78mm center to center) (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.com

BFGoodrich and all associated names are trademarks used with permission. Distributed under license by Traxxas LP. Copyright © 2026 MNA, Inc. All rights reserved.